



Accredited to ASA-100  
and FAA AC 00-56A




## 345

### Premium Foil Tape (Linerless) – Heavy Duty

Linerless aluminum foil for sealing and masking of aircraft. Aircraft sealing and masking applications. Used as a window mask to protect aircraft canopies, windshields and passenger window surfaces from crazing and/or hazing during paint stripping operations. Heavy duty vapor barrier sealing for sheet metal, flexible, and fiberglass duct systems.

- ◆ Aluminum Foil Backing provides a vapor barrier from moisture, contamination or corrosion.
- ◆ Acts as a heat shield, minimizing heat transfer.
- ◆ Superior conformability, adapting to irregular surfaces.
- ◆ Acrylic Adhesive System developed for solvent resistance and clean removal from surfaces.
- ◆ High adhesion - adheres tightly without lifting.
- ◆ Excellent aging resistance with long-term bond performance.



Adhesive	Proprietary Acrylic
Backing	Aluminum Foil
Adhesion to backing (PSTC-1)	25 oz/in / 28 g/mm
Adhesion to steel (PSTC-1)	55 oz/in / 61.6 g/mm
Elongation	8%
Foil Thickness (ASTM D-1000)	3 mils / 0.076 mm
Maximum Temperature (ASTM D-1000)	200 <sup>0</sup> F / 93 <sup>0</sup> C
Tensile (ASTM D-1000)	26 lb/in / 0.46 kg/mm
Thickness (ASTM D-1000)	5.5 mils / 0.139 mm
Specifications	FAR 25.853 (a) Mil Spec L-T-80B

Note: The above are typical values and should not be used in writing specifications

**For Pricing and Information  
please contact:**

**KIEPURA AVIATION CORP.**

61 Church Street

Littleton, New Hampshire 03561 USA

Tel: 603-444-3459 / Fax: 603-444-0790

Toll Free: 1-888-522-8273 (USA/Canada)

Email: [info@kiepuraaviation.com](mailto:info@kiepuraaviation.com)

[www.kiepuraaviation.com](http://www.kiepuraaviation.com)